PHILIPS TECHNICAL REVIEW



VOLUME 23 1961/62

PHILIPS TECHNICAL REVIEW

A publication of the Research Laboratories of N.V. Philips' Gloeilampenfabrie-ken, Eindhoven, Netherlands. Twelve issues per year and an average of 32 pages per issue. The Review is published in four editions: English, Dutch, French and German, all identical in contents.

Editors

- S. Gradstein, Editor-in-chief
- D. M. Duinker, Deputy editor
- M. Beun
- D. van Dalen
- E. Fischmann
- K. R. Fröhner (German edition)
- C. M. Hargreaves (English edition)
- J. W. Miltenburg

All rights reserved by N.V. Philips' Gloeilampenfabrieken, Eindhoven, Netherlands. Articles may be reproduced in whole or in part, provided that the editors are first notified and that the source "Philips Technical Review" is mentioned in full. Photographs and drawings for this purpose are available on request.

SUBJECT INDEX, VOLUME 23, 1961/62

| Pag | e | Page |
|--|---|------|
| Analogue computer for determining the colour | Neutron tube for generating 14 MeV neutrons | 325 |
| point of a light source | | 293 |
| Analogue computer and resistance network for | Omegatron, analysis of residual gases with — | 122 |
| plotting electron trajectories | | 189 |
| Balance of nature 10 | Orthocyclic method of coil winding | 365 |
| Beamed light sources, automatically recording | Oxides, zone melting of — | 161 |
| isocandela diagrams of — 27 | | 22 |
| Carbon-arc image furnace, zone melting of | Oxide-coated cathodes for loads of 1 to 2 | |
| oxides in — | | |
| Coil winding, orthocyclic method of 36 | | 19 |
| Colour point of a light source, determination | PASCAL, fast digital electronic computer | 1 |
| with analogue computer 11 | | - |
| Colour TV, fluorescent screen in direct-viewing | automatic digital — | 244 |
| tubes for — | | 310 |
| Computer, analogue — and resistance network | Picture tubes, fluorescent screen in direct- | 010 |
| for plotting electron trajectories 35 | | 133 |
| | Picture tubes, analysis of residual gases in — | 200 |
| Control theory: | with the omegatron | 122 |
| linear control systems 10 | | 342 |
| loop gain and stability | | 82 |
| influence of non-linear recording instrument 16 | | 182 |
| Converters (DC/AC) using silicon controlled | Radiography installation, 4 MeV industrial — | 197 |
| rectifiers for fluorescent lighting 27 | | 310 |
| Cyclotron, 160 MeV synchro— at Orsay 38 | | |
| (14 | | 89 |
| Difference amplifiers, I, II | | 122 |
| Dislocations, projection topographs of — 8 | | |
| Dispenser cathodes for magnetrons 31 | for plotting electron trajectories | 352 |
| Dosemeters for X-radiation 5 | | |
| Electret with photoconductor | 0 experiments | 155 |
| Electron trajectories, method for plotting — 35 | 2 Silicon controlled rectifiers, converters using | |
| Electronics in the wood industry 2 | | 272 |
| Enamelled wire, manufacture and testing 34 | 1 1 | 48 |
| Fizeau fringes observed with an interference | Sodium lamps, recent improvements | 246 |
| mirror | | 293 |
| Fluorescent screen in direct-viewing tubes for | Stereophonic test records, optical measure- | |
| colour TV | | 89 |
| High-tension generator of very small dimen- | Stereophoto of dislocations | 86 |
| sions | | 69 |
| Industrial radiography installation for 4 MeV 19 | | 381 |
| Iodine incandescent lamps $\begin{pmatrix} 23 \\ 24 \end{pmatrix}$ | | 700 |
| - (2 x | | 133 |
| Isocandela diagrams of beamed light sources, | "Thermoplac" wire | 371 |
| automatic recording of — | , 0 | 258 |
| Lamp factory, birth of a — in 1891 22. | | 29 |
| Magnetrons with dispenser cathodes 31 | | 55 |
| Microwave experiments, electrically screened | X-ray installation, 4 MeV industrial — | 197 |
| room for — | | 161 |
| Neutron diffraction 6 | furnace | 161 |

AUTHOR INDEX, VOLUME 23, 1961/62

Articles marked with an asterisk * are short communications.

| | Page | | Page |
|--|------|--|------------|
| Alink, R. J. H., H. J. Pel and B. W. Speekman | | Laan, C. J. M. van der and K. Roozendaal | |
| Manufacture and testing of enamelled wire | 342 | A snow separator for liquid-air installations | 48 |
| Almer, F. H. R. and A. Kuiper | | Lemmens, H. J. and P. Zalm | |
| New developments in oxide-coated cathodes, | | New developments in oxide-coated cathodes, | 10 |
| II. An oxide-coated cathode with a half-watt heater | 20 | I. Oxide-coated cathodes for loads of 1 to 2 A/cm ² | 19 |
| for cathode-ray tubes | 22 | Lenders, W. L. L. | 265 |
| Bähler, W. | | The orthocyclic method of coil winding | 365 |
| An instrument for automatically recording isocandela diagrams of beamed light sources | 278 | Loos, C. H. Influence of the non-linear behaviour of a recording | |
| Balder, J. J. | 210 | instrument on the prioperties of a control system | 167 |
| Iodine incandescent lamps, | | Nienhuis, K. and O. Refenschweiler | |
| II. Possible applications | 242 | The neutron tube, a simple and compact neutron source | 325 |
| Bastiaans, C. R. and J. van der Steen | | Nijenhuis, W. | |
| Optical measurement of recorded velocities on stereo- | | The PASCAL, a fast digital electronic computer for the | |
| phonic test records | 89 | Philips Computing Centre | 1 |
| Bathelt, R. R. and G. A. W. Vermeulen | | Pel, H. J., R. J. H. Alink and B. W. Speekman | |
| An experimental fluorescent screen in direct-viewing | | Manufacture and testing of enamelled wire | 342 |
| tubes for colour television | 133 | Reifenschweiler, O. and K. Nienhuis | |
| Beer, A. J. F. de | | The neutron tube, a simple and compact neutron source | 325 |
| * An electrically screened room for microwave experi- | 155 | Reinsma, K. and J. Hesselink | |
| ments | 155 | Dosemeters for X-radiation | 55 |
| -, H. Groendijk and J. L. Verster | | Roozendaal, K. and C. J. M. van der Laan | 4.0 |
| The plotting of electron trajectories with the aid of a resistance network and an analogue computer | 352 | A snow separator for liquid-air installations | 48 |
| Boer, J. B. de | 352 | Rydahl, A., M. Hammar and B. Westerlund Electronics in the wood industry | 29 |
| Lighting of traffic routes | 258 | Santen, J. G. van and G. Diemer | 2) |
| Brekoo, H. P. J. and A. Verhoeff | | A photorectifying layer for a reading matrix | 310 |
| * An experimental high-tension generator of very small | | Speekman, B. W., R. J. H. Alink and H. J. Pel | |
| dimensions | 338 | Manufacture and testing of enamelled wire | 342 |
| Chippendale, T. R. | | Steen, J. van der and C. R. Bastiaans | |
| A 4 MeV industrial radiography installation | 197 | Optical measurement of recorded velocities on stereo- | |
| Couwenberg, H. J. M. and C. Kooy | | phonic test records | 89 |
| Zone melting of oxides in a carbon-arc image furnace | 161 | Tijen, J. W. van | |
| Diemer, G. | 100 | Iodine incandescent lamps, | |
| Opto-electronics | 189 | I. Principle | 237 |
| — and J. G. van Santen A photorectifying layer for a reading matrix | 310 | Tol, M. van | |
| Espersen, G. A. | 310 | The application of control theory to linear control | 100 |
| Dispenser cathodes for magnetrons | 316 | systems | 109 151 |
| Francken, J. C. and J. van der Waal | | Veen, R. van der | 131 |
| Analysis of residual gases in television picture tubes | | The balance of nature | 101 |
| with the aid of the omegatron | 122 | Verhoeff, A. and H. P. J. Brekoo | 101 |
| Goedkoop, J. A. | | * An experimental high-tension generator of very small | |
| Neutron diffraction | 69 | dimensions | 338 |
| Gradstein, S. | 100 | Vermeulen, G. A. W. and R. R. Bathelt | |
| * Radiation furnaces of past centuries | 182 | An experimental fluorescent screen in direct-viewing | |
| Groendijk, H., A. J. F. de Beer and J. L. Verster The platting of electron traineteries with the sid of a | | tubes for colour television | 133 |
| The plotting of electron trajectories with the aid of a resistance network and an analogue computer | 352 | Verster, J. L., A J. F. de Beer and H. Groendijk | |
| Halbertsma, N. A. | 332 | The plotting of electron trajectories with the aid of a | 0.50 |
| The birth of a lamp factory in 1891 | 222 | resistance network and an analogue computer | 352 |
| Hammar, M., A. Rydahl and B. Westerlund | | Verster, N. F. and G. T. de Kruiff The Orsay 160 MeV synchrocyclotron with beam-extrac- | |
| Electronics in the wood industry | 29 | tion system | 381 |
| Hart, P. A. H. | | Waal, B. van der | 901 |
| Standard noise sources | 293 | A simple analogue computer for determining the colour | |
| Hesselink, J. and K. Reinsma | | point of a light source | 118 |
| Dosemeters for X-radiation | 55 | Waal, J. van der and J. C. Francken | |
| Jenkinson, A. E. | 0.0 | Analysis of residual gases in television picture tubes | |
| Projection topographs of dislocations | 82 | with the aid of the omegatron | 122 |
| Mein, G. and J. J. Zaamerg van Zeist | (| Weijer, M. H. A. van de | |
| Circuits for difference amplifiers, I, II | 142 | Recent improvements in sodium lamps | 246 |
| Kooy, C. and H. J. M. Couwenberg | (173 | Westerlund, B., M. Hammar and A. Rydahl | |
| 7 | 161 | Electronics in the wood industry | 29 |
| Kruiff, G. T. de and N. F. Verster | 101 | Wilting, J. J. DC/AC converters using silicon controlled rectifiers for | |
| The Orsay 160 MeV synchrocyclotron with beam-extrac- | | fluorescent lighting | 979 |
| tion system | 381 | Zaalberg van Zelst, J. J. and G. Klein | 272 |
| Kuiper, A. and F. H. R. Almer | | | (140 |
| New developments in oxide-coated cathodes, | | Circuits for difference amplifiers, I, II | 142 |
| II. An oxide-coated cathode with a half-watt heater | | Zalm, P. and H. J. Lemmens | (113 |
| for cathode-ray tubes | 22 | New developments in oxide-coated cathodes. | |
| | | I. Oxide-coated cathodes for loads of 1 to 2 A/cm ² | 19 |
| | | | |